

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

not alone sufficient to preserve the lives of its Natural Animals. Hence it follows, that in Ponds, when the Water comes to be frozen over with a pretty thick lee, the Fishes in the said Ponds are very likely, if not certain to perish, upon the continuance of such a Congelation for some time on their Surfaces; unless (as in the latter part of the Experiments) the Impediment, which hinder'd the immediate Contact of the Air to the Surface of the Water, be remov'd; that is, by breaking Holes in the Ice, whereby it is restored, and undoubtedly will perform the same thing as my Removal of the Brass Plate. This is to be understood only in Ponds, where the Water is stagnant; for where there are Springs, or a current of Water constantly succeeding under the Ice, the effect most likely will not be the same.

VI. Part of a Letter from Mr. Patrick Blair to Dr. Hans Sloane, R. S. Secr. Giving an Account of the Asbestos, or Lapis Amiantus, found in the the High-lands of Scotland.

Take leave to communicate the Relation of a Gentleman in the High-lands, not many Miles hence, who has lately built an House of a singular kind of Stone, digg'd out of a Quarry not far from him. This Stone, after the Rubbish, which is not very deep, is done away, lyes Horizontally in a Bed endu'd with parallel Fibres, with few Interstices, soft at the beginning, and easy to be smooth'd and polish'd without any Tool, but rather with Sand, or an other hard Stone of a blewish Colour, which afterwards hardens so, that it resistes the injuries of Air or prejudice of Fire. When

first the Quarrier began to dig it, he was at a mighty loss; for endeavouring to cut and raise it after the ordinary manner with Wedges, and other usual Instruments, it broke and crumbled all to pieces: But afterwards, observing more narrowly the Duct of its Fibres, so to speak, he endeavour'd to cut it with Spades lengthways; and by this means he procured Stones as big as he had a mind, which smoothed very easily along the Tract of their Fibres; but when cut transverse, no Means nor Methods could render them smooth, but their Surface remain'd unequal as the Extremities of a piece of Wood. Although, as I said, this Quarry has but few Interstices, yet in those it has the true Asbestos, of a whitish Silver Surface, consisting of several fasciculi with parallel Fibres, like to those of the muscular Fibres of falted Beef, easily separable from each other, pure white, till it becomes so small as the finest Elax, and so ductile, that it may be spun into the finest Thread, whereof it were easy to make the incombustible Cloth. fo famous for Shrines among the Ancients. ther places of those Interstices, was likewise to be obferved a reddish Substance, near to the colour of Sanguis Draconis: but whether Fibrous or not, I cannot inform you, fince the Gentleman could not shew me any of is: but added, he believed it might be good for dying. got a small parcel of the Asbestos from him; and he told me, if he had known its value, he could have preferved fome Pounds of it. I am ready to think the second kind was Fibrous too, which might make a very beautiful Cloath, being striped with the other. The Quarry is at present sull of Rubbish; but he tells me, he is to build again this ensuing Summer; and you may be asfur'd, if any fuch Substance be hereafter found, it shall be carefully preferved. In a Word, this whole Quarry may be said to be Asbestos of different Colours, the blueish being of a much courser, and the white and red of

(436)

a finer Grain. I have been at the Gentlemans House, of whom I have this Account, and you may look upon it as Authentick.

Coupar of Angus, March 15. 1712.

Tours,

P. BLAIR.

VII. The Dimensions of some Human Bones, of an extraordinary Size, which were dug up near St. Albans in Hertfordshire. Communicated by Mr. W. Cheselden, Surgeon, F.R.S.

HE Circumference of the Scull, according to its length, is 26 Inches; and according to its breadth, 23 Inches.

The greatest Diameter of each Os Innomminatum, is 12

Inches.

The Left Os Femoris is 24 Inches long, having only one (and that the great) Trochanter. The Right Os Femoris is 23 Inches long, having three Trochanter Processes.

Each Tibia is 21 Inches long.

If all the Parts bore a due proportion, this Man must

have been eight foot high.

These Bones were found near an Urn, inscrib'd Marcus Antoninus, in the Place of the Roman Camp near St. Albans.

LONDON: Printed for H. Clements at the Half-Wioon, and W. Innys at the Princes-Armes, in St Pauls Church-yard; and D. Brown without Temple-Bar.